

Pipe Sizing Chart

nominal pipe size (inch)	nominal pipe size (mm)	actual pipe size (inc)	actual pipe size (mm)	pipe schedule	outside dia. "OD" (inch)	outside dia. "OD" (mm)	wall thickness (inch)	wall thickness (mm)	inside dia. "ID" (inch)	inside dia. "ID" (mm)
1/8	6	0.4051	10.2900	5S						
1/8	6	0.4051	10.2900	5						
1/8	6	0.4051	10.2900	10S	0.4050	10.3000	0.0350	0.8890	0.3350	8.5220
1/8	6	0.4051	10.2900	10	0.4050	10.3000	0.0490	1.2446	0.3070	7.8108
1/8	6	0.4051	10.2900	20						
1/8	6	0.4051	10.2900	30						
1/8	6	0.4051	10.2900	40s	0.4050	10.3000	0.0680	1.7272	0.2690	6.8456
1/8	6	0.4051	10.2900	Std	0.4050	10.3000	0.0680	1.7272	0.2690	6.8456
1/8	6	0.4051	10.2900	40	0.4050	10.3000	0.0680	1.7272	0.2690	6.8456
1/8	6	0.4051	10.2900	60						
1/8	6	0.4051	10.2900	80s	0.4050	10.3000	0.0950	2.4130	0.2150	5.4740
1/8	6	0.4051	10.2900	XS (E.H.)	0.4050	10.3000	0.0950	2.4130	0.2150	5.4740
1/8	6	0.4051	10.2900	80	0.4050	10.3000	0.0950	2.4130	0.2150	5.4740
1/8	6	0.4051	10.2900	100						
1/8	6	0.4051	10.2900	120						
1/8	6	0.4051	10.2900	140						
1/8	6	0.4051	10.2900	160						
1/8	6	0.4051	10.2900	XXS (Dbl. E.H.)						
1/4	8	0.5402	13.7200	5S						
1/4	8	0.5402	13.7200	5	0.5400	13.7000	0.0490	1.2446	0.4420	11.2108
1/4	8	0.5402	13.7200	10S	0.5400	13.7000	0.0650	1.6510	0.4100	10.3980
1/4	8	0.5402	13.7200	10	0.5400	13.7000	0.0650	1.6510	0.4100	10.3980
1/4	8	0.5402	13.7200	20						
1/4	8	0.5402	13.7200	30						
1/4	8	0.5402	13.7200	40s	0.5400	13.7000	0.0880	2.2352	0.3640	9.2296
1/4	8	0.5402	13.7200	Std	0.5400	13.7000	0.0880	2.2352	0.3640	9.2296
1/4	8	0.5402	13.7200	40	0.5400	13.7000	0.0880	2.2352	0.3640	9.2296
1/4	8	0.5402	13.7200	60						
1/4	8	0.5402	13.7200	80s	0.5400	13.7000	0.1190	3.0226	0.3020	7.6548
1/4	8	0.5402	13.7200	XS (E.H.)	0.5400	13.7000	0.1190	3.0226	0.3020	7.6548
1/4	8	0.5402	13.7200	80	0.5400	13.7000	0.1190	3.0226	0.3020	7.6548
1/4	8	0.5402	13.7200	100						
1/4	8	0.5402	13.7200	120						
1/4	8	0.5402	13.7200	140						
1/4	8	0.5402	13.7200	160						
1/4	8	0.5402	13.7200	XXS (Dbl. E.H.)						
3/8	10	0.6752	17.1500	5S						
3/8	10	0.6752	17.1500	5	0.6750	17.1000	0.0490	1.2446	0.5770	14.6108
3/8	10	0.6752	17.1500	10S	0.6750	17.1000	0.0650	1.6510	0.5450	13.7980
3/8	10	0.6752	17.1500	10	0.6750	17.1000	0.0650	1.6510	0.5450	13.7980
3/8	10	0.6752	17.1500	20						
3/8	10	0.6752	17.1500	30						
3/8	10	0.6752	17.1500	40s	0.6750	17.1000	0.0910	2.3114	0.4930	12.4772
3/8	10	0.6752	17.1500	Std	0.6750	17.1000	0.0910	2.3114	0.4930	12.4772
3/8	10	0.6752	17.1500	40	0.6750	17.1000	0.0910	2.3114	0.4930	12.4772
3/8	10	0.6752	17.1500	60						
3/8	10	0.6752	17.1500	80s	0.6750	17.1000	0.1260	3.2004	0.4230	10.6992
3/8	10	0.6752	17.1500	XS (E.H.)	0.6750	17.1000	0.1260	3.2004	0.4230	10.6992
3/8	10	0.6752	17.1500	80	0.6750	17.1000	0.1260	3.2004	0.4230	10.6992
3/8	10	0.6752	17.1500	100						
3/8	10	0.6752	17.1500	120						
3/8	10	0.6752	17.1500	140						
3/8	10	0.6752	17.1500	160						
3/8	10	0.6752	17.1500	XXS (Dbl. E.H.)						
1/2	15	0.8402	21.3400	5S	0.8400	21.3000	0.0650	1.6510	0.7100	17.9980
1/2	15	0.8402	21.3400	5	0.8400	21.3000	0.0650	1.6510	0.7100	17.9980
1/2	15	0.8402	21.3400	10S	0.8400	21.3000	0.0650	1.6510	0.7100	17.9980
1/2	15	0.8402	21.3400	10	0.8400	21.3000	0.0650	1.6510	0.7100	17.9980
1/2	15	0.8402	21.3400	20						
1/2	15	0.8402	21.3400	30						
1/2	15	0.8402	21.3400	40s	0.8400	21.3000	0.1090	2.7686	0.6220	15.7628
1/2	15	0.8402	21.3400	Std	0.8400	21.3000	0.1090	2.7686	0.6220	15.7628
1/2	15	0.8402	21.3400	40	0.8400	21.3000	0.1090	2.7686	0.6220	15.7628
1/2	15	0.8402	21.3400	60						
1/2	15	0.8402	21.3400	80s	0.8400	21.3000	0.1470	3.7338	0.5460	13.8324
1/2	15	0.8402	21.3400	XS (E.H.)	0.8400	21.3000	0.1470	3.7338	0.5460	13.8324
1/2	15	0.8402	21.3400	80	0.8400	21.3000	0.1470	3.7338	0.5460	13.8324
1/2	15	0.8402	21.3400	100						
1/2	15	0.8402	21.3400	120						
1/2	15	0.8402	21.3400	140						
1/2	15	0.8402	21.3400	160	0.8400	21.3000	0.1870	4.7498	0.4660	11.8004
1/2	15	0.8402	21.3400	XXS (Dbl. E.H.)	0.8400	21.3000	0.2940	7.4676	0.2520	6.3648
3/4	20	0.8138	20.6700	5S	1.0500	26.7000	0.0650	1.6510	0.9200	23.3980
3/4	20	0.8138	20.6700	5	1.0500	26.7000	0.0650	1.6510	0.9200	23.3980
3/4	20	0.8138	20.6700	10S	1.0500	26.7000	0.0830	2.1082	0.8840	22.4836
3/4	20	0.8138	20.6700	10	1.0500	26.7000	0.0830	2.1082	0.8840	22.4836
3/4	20	0.8138	20.6700	20						
3/4	20	0.8138	20.6700	30						
3/4	20	0.8138	20.6700	40s	1.0500	26.7000	0.1130	2.8702	0.8240	20.9596
3/4	20	0.8138	20.6700	Std	1.0500	26.7000	0.1130	2.8702	0.8240	20.9596
3/4	20	0.8138	20.6700	40	1.0500	26.7000	0.1130	2.8702	0.8240	20.9596
3/4	20	0.8138	20.6700	60						
3/4	20	0.8138	20.6700	80s	1.0500	26.7000	0.1540	3.9116	0.7420	18.8768
3/4	20	0.8138	20.6700	XS (E.H.)	1.0500	26.7000	0.1540	3.9116	0.7420	18.8768
3/4	20	0.8138	20.6700	80	1.0500	26.7000	0.1540	3.9116	0.7420	18.8768
3/4	20	0.8138	20.6700	100						
3/4	20	0.8138	20.6700	120						
3/4	20	0.8138	20.6700	140						
3/4	20	0.8138	20.6700	160	1.0500	26.7000	0.2180	5.5372	0.6140	15.6256
3/4	20	0.8138	20.6700	XXS (Dbl. E.H.)	1.0500	26.7000	0.3080	7.8232	0.4340	11.0536

Pipe Sizing Chart

nominal pipe size (inch)	nominal pipe size (mm)	actual pipe size (inc)	actual pipe siz (mm)	pipe schedule	outside dia. "OD" (inch)	outside dia. "OD" (mm)	wall thicknes (inch)	wall thicknes (mm)	inside dia. "ID" (inch)	inside dia. "ID" (mm)
1	25	1.3150	33.4000	5S	1.3150	33.4000	0.0650	1.6510	1.1850	30.0980
1	25	1.3150	33.4000	5	1.3150	33.4000	0.0650	1.6510	1.1850	30.0980
1	25	1.3150	33.4000	10S	1.3150	33.4000	0.1090	2.7686	1.0970	27.8628
1	25	1.3150	33.4000	10	1.3150	33.4000	0.1090	2.7686	1.0970	27.8628
1	25	1.3150	33.4000	20						
1	25	1.3150	33.4000	30						
1	25	1.3150	33.4000	40s	1.3150	33.4000	0.1330	3.3782	1.0490	26.6436
1	25	1.3150	33.4000	Std	1.3150	33.4000	0.1330	3.3782	1.0490	26.6436
1	25	1.3150	33.4000	40	1.3150	33.4000	0.1330	3.3782	1.0490	26.6436
1	25	1.3150	33.4000	60						
1	25	1.3150	33.4000	80s	1.3150	33.4000	0.1790	4.5466	0.9570	24.3068
1	25	1.3150	33.4000	XS (E.H.)	1.3150	33.4000	0.1790	4.5466	0.9570	24.3068
1	25	1.3150	33.4000	80	1.3150	33.4000	0.1790	4.5466	0.9570	24.3068
1	25	1.3150	33.4000	100						
1	25	1.3150	33.4000	120						
1	25	1.3150	33.4000	140						
1	25	1.3150	33.4000	160	1.3150	33.4000	0.2500	6.3500	0.8150	20.7000
1	25	1.3150	33.4000	XXS (Dbl. E.H)	1.3150	33.4000	0.3580	9.0932	0.5990	15.2136
1 1/4	32	1.6598	42.1600	5S	1.6600	42.2000	0.0650	1.6510	1.5300	38.8980
1 1/4	32	1.6598	42.1600	5	1.6600	42.2000	0.0650	1.6510	1.5300	38.8980
1 1/4	32	1.6598	42.1600	10S	1.6600	42.2000	0.1090	2.7686	1.4420	36.6628
1 1/4	32	1.6598	42.1600	10	1.6600	42.2000	0.1090	2.7686	1.4420	36.6628
1 1/4	32	1.6598	42.1600	20						
1 1/4	32	1.6598	42.1600	30						
1 1/4	32	1.6598	42.1600	40s	1.6600	42.2000	0.1400	3.5560	1.3800	35.0880
1 1/4	32	1.6598	42.1600	Std	1.6600	42.2000	0.1400	3.5560	1.3800	35.0880
1 1/4	32	1.6598	42.1600	40	1.6600	42.2000	0.1400	3.5560	1.3800	35.0880
1 1/4	32	1.6598	42.1600	60						
1 1/4	32	1.6598	42.1600	80s	1.6600	42.2000	0.1910	4.8514	1.2780	32.4972
1 1/4	32	1.6598	42.1600	XS (E.H.)	1.6600	42.2000	0.1910	4.8514	1.2780	32.4972
1 1/4	32	1.6598	42.1600	80	1.6600	42.2000	0.1910	4.8514	1.2780	32.4972
1 1/4	32	1.6598	42.1600	100						
1 1/4	32	1.6598	42.1600	120						
1 1/4	32	1.6598	42.1600	140						
1 1/4	32	1.6598	42.1600	160	1.6600	42.2000	0.2500	6.3500	1.1600	29.5000
1 1/4	32	1.6598	42.1600	XXS (Dbl. E.H)	1.6600	42.2000	0.3820	9.7028	0.8960	22.7944
1 1/2	40	1.9000	48.2600	5S	1.9000	48.3000	0.0650	1.6510	1.7700	44.9980
1 1/2	40	1.9000	48.2600	5	1.9000	48.3000	0.0650	1.6510	1.7700	44.9980
1 1/2	40	1.9000	48.2600	10S	1.9000	48.3000	0.1090	2.7686	1.6820	42.7628
1 1/2	40	1.9000	48.2600	10	1.9000	48.3000	0.1090	2.7686	1.6820	42.7628
1 1/2	40	1.9000	48.2600	20						
1 1/2	40	1.9000	48.2600	30						
1 1/2	40	1.9000	48.2600	40s	1.9000	48.3000	0.1450	3.6830	1.6100	40.9340
1 1/2	40	1.9000	48.2600	Std	1.9000	48.3000	0.1450	3.6830	1.6100	40.9340
1 1/2	40	1.9000	48.2600	40	1.9000	48.3000	0.1450	3.6830	1.6100	40.9340
1 1/2	40	1.9000	48.2600	60						
1 1/2	40	1.9000	48.2600	80s	1.9000	48.3000	0.2000	5.0800	1.5000	38.1400
1 1/2	40	1.9000	48.2600	XS (E.H.)	1.9000	48.3000	0.2000	5.0800	1.5000	38.1400
1 1/2	40	1.9000	48.2600	80	1.9000	48.3000	0.2000	5.0800	1.5000	38.1400
1 1/2	40	1.9000	48.2600	100						
1 1/2	40	1.9000	48.2600	120						
1 1/2	40	1.9000	48.2600	140						
1 1/2	40	1.9000	48.2600	160	1.9000	48.3000	0.2810	7.1374	1.3380	34.0252
1 1/2	40	1.9000	48.2600	XXS (Dbl. E.H)	1.9000	48.3000	0.4000	10.1600	1.1000	27.9800
2	50	2.3752	60.3300	5S	2.3750	60.3000	0.0650	1.6510	2.2450	56.9980
2	50	2.3752	60.3300	5	2.3750	60.3000	0.0650	1.6510	2.2450	56.9980
2	50	2.3752	60.3300	10S	2.3750	60.3000	0.1090	2.7686	2.1570	54.7628
2	50	2.3752	60.3300	10	2.3750	60.3000	0.1090	2.7686	2.1570	54.7628
2	50	2.3752	60.3300	20						
2	50	2.3752	60.3300	30						
2	50	2.3752	60.3300	40s	2.3750	60.3000	0.1540	3.9116	2.0670	52.4768
2	50	2.3752	60.3300	Std	2.3750	60.3000	0.1540	3.9116	2.0670	52.4768
2	50	2.3752	60.3300	40	2.3750	60.3000	0.1540	3.9116	2.0670	52.4768
2	50	2.3752	60.3300	60						
2	50	2.3752	60.3300	80s	2.3750	60.3000	0.2180	5.5372	1.9390	49.2256
2	50	2.3752	60.3300	XS (E.H.)	2.3750	60.3000	0.2180	5.5372	1.9390	49.2256
2	50	2.3752	60.3300	80	2.3750	60.3000	0.2180	5.5372	1.9390	49.2256
2	50	2.3752	60.3300	100						
2	50	2.3752	60.3300	120						
2	50	2.3752	60.3300	140						
2	50	2.3752	60.3300	160	2.3750	60.3000	0.3430	8.7122	1.6890	42.8756
2	50	2.3752	60.3300	XXS (Dbl. E.H)	2.3750	60.3000	0.4360	11.0744	1.5030	38.1512
2 1/2	65	2.8748	73.0200	5S	2.8750	73.0000	0.0830	2.1082	2.7090	68.7836
2 1/2	65	2.8748	73.0200	5	2.8750	73.0000	0.0830	2.1082	2.7090	68.7836
2 1/2	65	2.8748	73.0200	10S	2.8750	73.0000	0.1200	3.0480	2.6350	66.9040
2 1/2	65	2.8748	73.0200	10	2.8750	73.0000	0.1200	3.0480	2.6350	66.9040
2 1/2	65	2.8748	73.0200	20						
2 1/2	65	2.8748	73.0200	30						
2 1/2	65	2.8748	73.0200	40s	2.8750	73.0000	0.2030	5.1562	2.4690	62.6876
2 1/2	65	2.8748	73.0200	Std	2.8750	73.0000	0.2030	5.1562	2.4690	62.6876
2 1/2	65	2.8748	73.0200	40	2.8750	73.0000	0.2030	5.1562	2.4690	62.6876
2 1/2	65	2.8748	73.0200	60						
2 1/2	65	2.8748	73.0200	80s	2.8750	73.0000	0.2760	7.0104	2.3230	58.9792
2 1/2	65	2.8748	73.0200	XS (E.H.)	2.8750	73.0000	0.2760	7.0104	2.3230	58.9792
2 1/2	65	2.8748	73.0200	80	2.8750	73.0000	0.2760	7.0104	2.3230	58.9792
2 1/2	65	2.8748	73.0200	100						
2 1/2	65	2.8748	73.0200	120						
2 1/2	65	2.8748	73.0200	140						
2 1/2	65	2.8748	73.0200	160	2.8750	73.0000	0.3750	9.5250	2.1250	53.9500
2 1/2	65	2.8748	73.0200	XXS (Dbl. E.H)	2.8750	73.0000	0.5520	14.0208	1.7710	44.9584

Pipe Sizing Chart

nominal pipe size (inch)	nominal pipe size (mm)	actual pipe size (inc)	actual pipe size (mm)	pipe schedule	outside dia. "OD" (inch)	outside dia. "OD" (mm)	wall thickness (inch)	wall thickness (mm)	inside dia. "ID" (inch)	inside dia. "ID" (mm)
3	80	3.5000	88.9000	5S	3.5000	88.9000	0.0830	2.1082	3.3340	84.6836
3	80	3.5000	88.9000	5	3.5000	88.9000	0.0830	2.1082	3.3340	84.6836
3	80	3.5000	88.9000	10S	3.5000	88.9000	0.1200	3.0480	3.2600	82.8040
3	80	3.5000	88.9000	10	3.5000	88.9000	0.1200	3.0480	3.2600	82.8040
3	80	3.5000	88.9000	20						
3	80	3.5000	88.9000	30						
3	80	3.5000	88.9000	40s	3.5000	88.9000	0.2160	5.4864	3.0680	77.9272
3	80	3.5000	88.9000	Std	3.5000	88.9000	0.2160	5.4864	3.0680	77.9272
3	80	3.5000	88.9000	40	3.5000	88.9000	0.2160	5.4864	3.0680	77.9272
3	80	3.5000	88.9000	60						
3	80	3.5000	88.9000	80s	3.5000	88.9000	0.3000	7.6200	2.9000	73.6600
3	80	3.5000	88.9000	XS (E.H.)	3.5000	88.9000	0.3000	7.6200	2.9000	73.6600
3	80	3.5000	88.9000	80	3.5000	88.9000	0.3000	7.6200	2.9000	73.6600
3	80	3.5000	88.9000	100						
3	80	3.5000	88.9000	120						
3	80	3.5000	88.9000	140						
3	80	3.5000	88.9000	160	3.5000	88.9000	0.4370	11.0998	2.6260	66.7004
3	80	3.5000	88.9000	XXS (Dbl. E.H.)	3.5000	88.9000	0.6000	15.2400	2.3000	58.4200
3 1/2	90	4.0000	101.6000	5	4.0000	101.6000	0.0830	2.1082	3.8340	97.3836
3 1/2	90	4.0000	101.6000	10S	4.0000	101.6000	0.0830	2.1082	3.8340	97.3836
3 1/2	90	4.0000	101.6000	10	4.0000	101.6000	0.1200	3.0480	3.7600	95.5040
3 1/2	90	4.0000	101.6000	20	4.0000	101.6000	0.1200	3.0480	3.7600	95.5040
3 1/2	90	4.0000	101.6000	30						
3 1/2	90	4.0000	101.6000	40s						
3 1/2	90	4.0000	101.6000	Std	4.0000	101.6000	0.2260	5.7404	3.5480	90.1192
3 1/2	90	4.0000	101.6000	40	4.0000	101.6000	0.2260	5.7404	3.5480	90.1192
3 1/2	90	4.0000	101.6000	60	4.0000	101.6000	0.2260	5.7404	3.5480	90.1192
3 1/2	90	4.0000	101.6000	80s						
3 1/2	90	4.0000	101.6000	XS (E.H.)	4.0000	101.6000	0.3180	8.0772	3.3640	85.4456
3 1/2	90	4.0000	101.6000	80	4.0000	101.6000	0.3180	8.0772	3.3640	85.4456
3 1/2	90	4.0000	101.6000	100	4.0000	101.6000	0.3180	8.0772	3.3640	85.4456
3 1/2	90	4.0000	101.6000	120						
3 1/2	90	4.0000	101.6000	140						
3 1/2	90	4.0000	101.6000	160						
3 1/2	90	4.0000	101.6000	XXS (Dbl. E.H.)						
3 1/2	90	4.0000	101.6000	Dbl. EH (XXH)	4.0000	101.6000	0.6360	16.1544	2.7280	69.2912
4	100	4.5000	114.3000	5S	4.5000	114.3000	0.0830	2.1082	4.3340	110.0836
4	100	4.5000	114.3000	5	4.5000	114.3000	0.0830	2.1082	4.3340	110.0836
4	100	4.5000	114.3000	10S	4.5000	114.3000	0.1200	3.0480	4.2600	108.2040
4	100	4.5000	114.3000	10	4.5000	114.3000	0.1200	3.0480	4.2600	108.2040
4	100	4.5000	114.3000	20						
4	100	4.5000	114.3000	30						
4	100	4.5000	114.3000	40s	4.5000	114.3000	0.2370	6.0198	4.0260	102.2604
4	100	4.5000	114.3000	Std	4.5000	114.3000	0.2370	6.0198	4.0260	102.2604
4	100	4.5000	114.3000	40	4.5000	114.3000	0.2370	6.0198	4.0260	102.2604
4	100	4.5000	114.3000	60	4.5000	114.3000	0.2810	7.1374	3.9380	100.0252
4	100	4.5000	114.3000	80s	4.5000	114.3000	0.3370	8.5598	3.8260	97.1804
4	100	4.5000	114.3000	XS (E.H.)	4.5000	114.3000	0.3370	8.5598	3.8260	97.1804
4	100	4.5000	114.3000	80	4.5000	114.3000	0.3370	8.5598	3.8260	97.1804
4	100	4.5000	114.3000	100						
4	100	4.5000	114.3000	120	4.5000	114.3000	0.4370	11.0998	3.6260	92.1004
4	100	4.5000	114.3000	140						
4	100	4.5000	114.3000	160	4.5000	114.3000	0.5310	13.4874	3.4380	87.3252
4	100	4.5000	114.3000	XXS (Dbl. E.H.)	4.5000	114.3000	0.6740	17.1196	3.1520	80.0608
4 1/2	115	5.0000	127.0000	5S						
4 1/2	115	5.0000	127.0000	5						
4 1/2	115	5.0000	127.0000	10S						
4 1/2	115	5.0000	127.0000	10						
4 1/2	115	5.0000	127.0000	20						
4 1/2	115	5.0000	127.0000	30						
4 1/2	115	5.0000	127.0000	40s	5.0000	127.0000	0.2470	6.2738	4.5060	114.4524
4 1/2	115	5.0000	127.0000	Std	5.0000	127.0000	0.2470	6.2738	4.5060	114.4524
4 1/2	115	5.0000	127.0000	40						
4 1/2	115	5.0000	127.0000	60						
4 1/2	115	5.0000	127.0000	80s	5.0000	127.0000	0.3550	9.0170	4.2900	108.9660
4 1/2	115	5.0000	127.0000	XS (E.H.)	5.0000	127.0000	0.3550	9.0170	4.2900	108.9660
4 1/2	115	5.0000	127.0000	80						
4 1/2	115	5.0000	127.0000	100						
4 1/2	115	5.0000	127.0000	120						
4 1/2	115	5.0000	127.0000	140						
4 1/2	115	5.0000	127.0000	160						
4 1/2	115	5.0000	127.0000	XXS (Dbl. E.H.)	5.0000	127.0000	0.7100	18.0340	3.5800	90.9320
5	125	5.5630	141.3000	5S	5.5630	141.3000	0.1090	2.7686	5.3450	135.7628
5	125	5.5630	141.3000	5	5.5630	141.3000	0.1090	2.7686	5.3450	135.7628
5	125	5.5630	141.3000	10S	5.5630	141.3000	0.1340	3.4036	5.2950	134.4928
5	125	5.5630	141.3000	10	5.5630	141.3000	0.1340	3.4036	5.2950	134.4928
5	125	5.5630	141.3000	20						
5	125	5.5630	141.3000	30						
5	125	5.5630	141.3000	40s	5.5630	141.3000	0.2580	6.5532	5.0470	128.1936
5	125	5.5630	141.3000	Std	5.5630	141.3000	0.2580	6.5532	5.0470	128.1936
5	125	5.5630	141.3000	40	5.5630	141.3000	0.2580	6.5532	5.0470	128.1936
5	125	5.5630	141.3000	60						
5	125	5.5630	141.3000	80s	5.5630	141.3000	0.3750	9.5250	4.8130	122.2500
5	125	5.5630	141.3000	XS (E.H.)	5.5630	141.3000	0.3750	9.5250	4.8130	122.2500
5	125	5.5630	141.3000	80	5.5630	141.3000	0.3750	9.5250	4.8130	122.2500
5	125	5.5630	141.3000	100						
5	125	5.5630	141.3000	120	5.5630	141.3000	0.5000	12.7000	4.5630	115.9000
5	125	5.5630	141.3000	140						
5	125	5.5630	141.3000	160	5.5630	141.3000	0.6250	15.8750	4.3130	109.5500
5	125	5.5630	141.3000	XXS (Dbl. E.H.)	5.5630	141.3000	0.7500	19.0500	4.0630	103.2000

Pipe Sizing Chart

nominal pipe size (Inch)	nominal pipe size (mm)	actual pipe size (inc)	actual pipe size (mm)	pipe schedule	outside dia. "OD" (inch)	outside dia. "OD" (mm)	wall thickness (inch)	wall thickness (mm)	inside dia. "ID" (inch)	inside dia. "ID" (mm)
6	150	6.6260	168.3000	5S	6.6250	168.3000	0.1090	2.7686	6.4070	162.7628
6	150	6.6260	168.3000	5	6.6250	168.3000	0.1090	2.7686	6.4070	162.7628
6	150	6.6260	168.3000	10S	6.6250	168.3000	0.1340	3.4036	6.3570	161.4928
6	150	6.6260	168.3000	10	6.6250	168.3000	0.1340	3.4036	6.3570	161.4928
6	150	6.6260	168.3000	20						
6	150	6.6260	168.3000	30						
6	150	6.6260	168.3000	40s	6.6250	168.3000	0.2800	7.1120	6.0650	154.0760
6	150	6.6260	168.3000	Std	6.6250	168.3000	0.2800	7.1120	6.0650	154.0760
6	150	6.6260	168.3000	40	6.6250	168.3000	0.2800	7.1120	6.0650	154.0760
6	150	6.6260	168.3000	60						
6	150	6.6260	168.3000	80s	6.6250	168.3000	0.4320	10.9728	5.7610	146.3544
6	150	6.6260	168.3000	XS (E.H.)	6.6250	168.3000	0.4320	10.9728	5.7610	146.3544
6	150	6.6260	168.3000	80	6.6250	168.3000	0.4320	10.9728	5.7610	146.3544
6	150	6.6260	168.3000	100						
6	150	6.6260	168.3000	120	6.6250	168.3000	0.5620	14.2748	5.5010	139.7504
6	150	6.6260	168.3000	140						
6	150	6.6260	168.3000	160	6.6250	168.3000	0.7180	18.2372	5.1890	131.8256
6	150	6.6260	168.3000	XXS (Dbl. E.H)	6.6250	168.3000	0.8640	21.9456	4.8970	124.4088
7	175	7.6260	193.7000	5S						
7	175	7.6260	193.7000	5						
7	175	7.6260	193.7000	10S						
7	175	7.6260	193.7000	10						
7	175	7.6260	193.7000	20						
7	175	7.6260	193.7000	30						
7	175	7.6260	193.7000	40s	7.6250	193.7000	0.3010	7.6454	7.0230	178.4092
7	175	7.6260	193.7000	Std	7.6250	193.7000	0.3010	7.6454	7.0230	178.4092
7	175	7.6260	193.7000	40						
7	175	7.6260	193.7000	60						
7	175	7.6260	193.7000	80s						
7	175	7.6260	193.7000	XS (E.H.)	7.6250	193.7000	0.5000	12.7000	6.6250	168.3000
7	175	7.6260	193.7000	80						
7	175	7.6260	193.7000	100						
7	175	7.6260	193.7000	120						
7	175	7.6260	193.7000	140						
7	175	7.6260	193.7000	160						
7	175	7.6260	193.7000	XXS (Dbl. E.H)	7.6250	193.7000	0.8750	22.2250	5.8750	149.2500
8	200	8.6260	219.1000	5S	8.6250	219.1000	0.1090	2.7686	8.4070	213.5628
8	200	8.6260	219.1000	5	8.6250	219.1000	0.1090	2.7686	8.4070	213.5628
8	200	8.6260	219.1000	10S	8.6250	219.1000	0.1480	3.7592	8.3290	211.5816
8	200	8.6260	219.1000	10	8.6250	219.1000	0.1480	3.7592	8.3290	211.5816
8	200	8.6260	219.1000	20	8.6250	219.1000	0.2500	6.3500	8.1250	206.4000
8	200	8.6260	219.1000	30	8.6250	219.1000	0.2770	7.0358	8.0710	205.0284
8	200	8.6260	219.1000	40s	8.6250	219.1000	0.3220	8.1788	7.9810	202.7424
8	200	8.6260	219.1000	Std	8.6250	219.1000	0.3220	8.1788	7.9810	202.7424
8	200	8.6260	219.1000	40	8.6250	219.1000	0.3220	8.1788	7.9810	202.7424
8	200	8.6260	219.1000	60	8.6250	219.1000	0.4060	10.3124	7.8130	198.4752
8	200	8.6260	219.1000	80s	8.6250	219.1000	0.5000	12.7000	7.6250	193.7000
8	200	8.6260	219.1000	XS (E.H.)	8.6250	219.1000	0.5000	12.7000	7.6250	193.7000
8	200	8.6260	219.1000	80	8.6250	219.1000	0.5000	12.7000	7.6250	193.7000
8	200	8.6260	219.1000	100	8.6250	219.1000	0.5930	15.0622	7.4390	188.9756
8	200	8.6260	219.1000	120	8.6250	219.1000	0.7180	18.2372	7.1890	182.6256
8	200	8.6260	219.1000	140	8.6250	219.1000	0.8120	20.6248	7.0010	177.8504
8	200	8.6260	219.1000	160	8.6250	219.1000	0.9060	23.0124	6.8130	173.0752
8	200	8.6260	219.1000	XXS (Dbl. E.H)	8.6250	219.1000	0.8750	22.2250	6.8750	174.6500
9	225	9.6260	244.5000	5S						
9	225	9.6260	244.5000	5						
9	225	9.6260	244.5000	10S						
9	225	9.6260	244.5000	10						
9	225	9.6260	244.5000	20						
9	225	9.6260	244.5000	30						
9	225	9.6260	244.5000	40s	9.6250	244.5000	0.3420	8.6868	8.9410	227.1264
9	225	9.6260	244.5000	Std	9.6250	244.5000	0.3420	8.6868	8.9410	227.1264
9	225	9.6260	244.5000	40						
9	225	9.6260	244.5000	60						
9	225	9.6260	244.5000	80s	9.6250	244.5000	0.5000	12.7000	8.6250	219.1000
9	225	9.6260	244.5000	XS (E.H.)	9.6250	244.5000	0.5000	12.7000	8.6250	219.1000
9	225	9.6260	244.5000	80						
9	225	9.6260	244.5000	100						
9	225	9.6260	244.5000	120						
9	225	9.6260	244.5000	140						
9	225	9.6260	244.5000	160						
9	225	9.6260	244.5000	XXS (Dbl. E.H)						
10	250	10.7520	273.1000	5S	10.7500	273.1000	0.1340	3.4036	10.4820	266.2928
10	250	10.7520	273.1000	5	10.7500	273.1000	0.1340	3.4036	10.4820	266.2928
10	250	10.7520	273.1000	10S	10.7500	273.1000	0.1650	4.1910	10.4200	264.7180
10	250	10.7520	273.1000	10	10.7500	273.1000	0.1650	4.1910	10.4200	264.7180
10	250	10.7520	273.1000	20	10.7500	273.1000	0.2500	6.3500	10.2500	260.4000
10	250	10.7520	273.1000	30	10.7500	273.1000	0.3070	7.7978	10.1360	257.5044
10	250	10.7520	273.1000	40s	10.7500	273.1000	0.3650	9.2710	10.0200	254.5580
10	250	10.7520	273.1000	Std	10.7500	273.1000	0.3650	9.2710	10.0200	254.5580
10	250	10.7520	273.1000	40	10.7500	273.1000	0.3650	9.2710	10.0200	254.5580
10	250	10.7520	273.1000	60	10.7500	273.1000	0.5000	12.7000	9.7500	247.7000
10	250	10.7520	273.1000	80s	10.7500	273.1000	0.5000	12.7000	9.7500	247.7000
10	250	10.7520	273.1000	XS (E.H.)	10.7500	273.1000	0.5000	12.7000	9.7500	247.7000
10	250	10.7520	273.1000	80	10.7500	273.1000	0.5930	15.0622	9.5640	242.9756
10	250	10.7520	273.1000	100	10.7500	273.1000	0.7180	18.2372	9.3140	236.6256
10	250	10.7520	273.1000	120	10.7500	273.1000	0.8430	21.4122	9.0640	230.2756
10	250	10.7520	273.1000	140	10.7500	273.1000	1.0000	25.4000	8.7500	222.3000
10	250	10.7520	273.1000	160	10.7500	273.1000	1.1250	28.5750	8.5000	215.9500
10	250	10.7520	273.1000	XXS (Dbl. E.H)						

Pipe Sizing Chart

nominal pipe size (Inch)	nominal pipe size (mm)	actual pipe size (Inch)	actual pipe size (mm)	pipe schedule	outside dia. "OD" (Inch)	outside dia. "OD" (mm)	wall thickness (Inch)	wall thickness (mm)	inside dia. "ID" (Inch)	inside dia. "ID" (mm)
30	750	30.0000	762.0000	5S	30.0000	750.0000	0.2500	6.3500	29.5000	737.3000
30	750	30.0000	762.0000	5						
30	750	30.0000	762.0000	10S	30.0000	750.0000	0.3120	7.9248	29.3760	734.1504
30	750	30.0000	762.0000	10	30.0000	750.0000	0.3120	7.9248	29.3760	734.1504
30	750	30.0000	762.0000	20	30.0000	750.0000	0.5000	12.7000	29.0000	724.6000
30	750	30.0000	762.0000	30	30.0000	750.0000	0.6250	15.8750	28.7500	718.2500
30	750	30.0000	762.0000	40s	30.0000	750.0000	0.3750	9.5250	29.2500	730.9500
30	750	30.0000	762.0000	Std	30.0000	750.0000	0.3750	9.5250	29.2500	730.9500
30	750	30.0000	762.0000	40						
30	750	30.0000	762.0000	60						
30	750	30.0000	762.0000	80s	30.0000	750.0000	0.5000	12.7000	29.0000	724.6000
30	750	30.0000	762.0000	XS (E.H.)	30.0000	750.0000	0.5000	12.7000	29.0000	724.6000
30	750	30.0000	762.0000	80						
30	750	30.0000	762.0000	100						
30	750	30.0000	762.0000	120						
30	750	30.0000	762.0000	140						
30	750	30.0000	762.0000	160						
30	750	30.0000	762.0000	XXS (Dbl. E.H.)						
32	800	32.0000	813.0000	5S						
32	800	32.0000	813.0000	5						
32	800	32.0000	813.0000	10S						
32	800	32.0000	813.0000	10	32.0000	800.0000	0.3120	7.9248	31.3760	784.1504
32	800	32.0000	813.0000	20	32.0000	800.0000	0.5000	12.7000	31.0000	774.6000
32	800	32.0000	813.0000	30	32.0000	800.0000	0.6250	15.8750	30.7500	768.2500
32	800	32.0000	813.0000	40s	32.0000	800.0000	0.3750	9.5250	31.2500	780.9500
32	800	32.0000	813.0000	Std	32.0000	800.0000	0.3750	9.5250	31.2500	780.9500
32	800	32.0000	813.0000	40	32.0000	800.0000	0.6880	17.4752	30.6240	765.0496
32	800	32.0000	813.0000	60						
32	800	32.0000	813.0000	80s	32.0000	800.0000	0.5000	12.7000	31.0000	774.6000
32	800	32.0000	813.0000	XS (E.H.)	32.0000	800.0000	0.5000	12.7000	31.0000	774.6000
32	800	32.0000	813.0000	80						
32	800	32.0000	813.0000	100						
32	800	32.0000	813.0000	120						
32	800	32.0000	813.0000	140						
32	800	32.0000	813.0000	160						
32	800	32.0000	813.0000	XXS (Dbl. E.H.)						
34	850	34.0000	864.0000	5S						
34	850	34.0000	864.0000	5						
34	850	34.0000	864.0000	10S						
34	850	34.0000	864.0000	10	34.0000	850.0000	0.3120	7.9248	33.3760	834.1504
34	850	34.0000	864.0000	20	34.0000	850.0000	0.5000	12.7000	33.0000	824.6000
34	850	34.0000	864.0000	30	34.0000	850.0000	0.6250	15.8750	32.7500	818.2500
34	850	34.0000	864.0000	40s	34.0000	850.0000	0.3750	9.5250	33.2500	830.9500
34	850	34.0000	864.0000	Std	34.0000	850.0000	0.3750	9.5250	33.2500	830.9500
34	850	34.0000	864.0000	40	34.0000	850.0000	0.6880	17.4752	32.6240	815.0496
34	850	34.0000	864.0000	60						
34	850	34.0000	864.0000	80s						
34	850	34.0000	864.0000	XS (E.H.)						
34	850	34.0000	864.0000	80						
34	850	34.0000	864.0000	100						
34	850	34.0000	864.0000	120						
34	850	34.0000	864.0000	140						
34	850	34.0000	864.0000	160						
34	850	34.0000	864.0000	XXS (Dbl. E.H.)						
36	900	36.0000	914.0000	5S						
36	900	36.0000	914.0000	5						
36	900	36.0000	914.0000	10S						
36	900	36.0000	914.0000	10	36.0000	900.0000	0.3120	7.9248	35.3760	884.1504
36	900	36.0000	914.0000	20	36.0000	900.0000	0.5000	12.7000	35.0000	874.6000
36	900	36.0000	914.0000	30	36.0000	900.0000	0.6250	15.8750	34.7500	868.2500
36	900	36.0000	914.0000	40s	36.0000	900.0000	0.3750	9.5250	35.2500	880.9500
36	900	36.0000	914.0000	Std	36.0000	900.0000	0.3750	9.5250	35.2500	880.9500
36	900	36.0000	914.0000	40	36.0000	900.0000	0.7500	19.0500	34.5000	861.9000
36	900	36.0000	914.0000	60						
36	900	36.0000	914.0000	80s	36.0000	900.0000	0.5000	12.7000	35.0000	874.6000
36	900	36.0000	914.0000	XS (E.H.)	36.0000	900.0000	0.5000	12.7000	35.0000	874.6000
36	900	36.0000	914.0000	80						
36	900	36.0000	914.0000	100						
36	900	36.0000	914.0000	120						
36	900	36.0000	914.0000	140						
36	900	36.0000	914.0000	160						
36	900	36.0000	914.0000	XXS (Dbl. E.H.)						
42	1050	42.0000	1067.0000	5S						
42	1050	42.0000	1067.0000	5						
42	1050	42.0000	1067.0000	10S						
42	1050	42.0000	1067.0000	10						
42	1050	42.0000	1067.0000	20						
42	1050	42.0000	1067.0000	30						
42	1050	42.0000	1067.0000	40s	42.0000	1050.0000	0.3750	9.5250	41.2500	1030.9500
42	1050	42.0000	1067.0000	Std	42.0000	1050.0000	0.3750	9.5250	41.2500	1030.9500
42	1050	42.0000	1067.0000	40						
42	1050	42.0000	1067.0000	60						
42	1050	42.0000	1067.0000	80s	42.0000	1050.0000	0.5000	12.7000	41.0000	1024.6000
42	1050	42.0000	1067.0000	XS (E.H.)	42.0000	1050.0000	0.5000	12.7000	41.0000	1024.6000
42	1050	42.0000	1067.0000	80						
42	1050	42.0000	1067.0000	100						
42	1050	42.0000	1067.0000	120						
42	1050	42.0000	1067.0000	140						
42	1050	42.0000	1067.0000	160						
42	1050	42.0000	1067.0000	XXS (Dbl. E.H.)						

Pipe Sizing Chart

nominal pipe size (Inch)	nominal pipe size (mm)	actual pipe size (inc)	actual pipe siz (mm)	pipe schedule	outside dia. "OD" (inch)	outside dia. "OD" (mm)	wall thicknes (inch)	wall thicknes (mm)	inside dia. "ID" (inch)	inside dia. "ID" (mm)
48	1200	48.0000	1219.0000	5S						
48	1200	48.0000	1219.0000	5						
48	1200	48.0000	1219.0000	10S						
48	1200	48.0000	1219.0000	10						
48	1200	48.0000	1219.0000	20						
48	1200	48.0000	1219.0000	30						
48	1200	48.0000	1219.0000	40s	48.0000	1200.0000	0.3750	9.5250	47.2500	1180.9500
48	1200	48.0000	1219.0000	Std	48.0000	1200.0000	0.3750	9.5250	47.2500	1180.9500
48	1200	48.0000	1219.0000	40						
48	1200	48.0000	1219.0000	60						
48	1200	48.0000	1219.0000	80s	48.0000	1200.0000	0.5000	12.7000	47.0000	1174.6000
48	1200	48.0000	1219.0000	XS (E.H.)	48.0000	1200.0000	0.5000	12.7000	47.0000	1174.6000
48	1200	48.0000	1219.0000	80						
48	1200	48.0000	1219.0000	100						
48	1200	48.0000	1219.0000	120						
48	1200	48.0000	1219.0000	140						
48	1200	48.0000	1219.0000	160						
48	1200	48.0000	1219.0000	XXS (DbL. E.H)						